


POWERTRAC

PACKAGING PVT. LTD.

MFG. ALL TYPE OF ADHESIVE TAPE



PVC INSULATION TAPE

Description:

PT 5301 PVC Electrical tape (or insulating tape) is a type of pressure-sensitive tape used to insulate electrical wires and other materials that conduct electricity. It can be made of many plastics, but vinyl is most popular, as it stretches well and gives an effective and long lasting insulation. It is Waterproof, fireproof, chemical corrosion resistance and lead – free. It is Ideal for cable wrapping which voltage is under 600V as it is flexible and self-extinguishable.

Uses:

1. Insulation of electrical wire joints
2. Color coding (3 phase wiring)
3. Insulating cable lugs in meter panels
4. Insulating cable joints in submersible pumps.

Sizes Available: Cut Size and Log Roll

Regular Colors: Black / White / Yellow
Green / Red / Blue



MASKING TAPE

Description:

PT 5202 Masking tape, also known as crepe paper tape, is a type of pressure-sensitive tape made of a thin and easy-to-tear paper, and an easily released pressure sensitive adhesive. It has residue-free removal for many days and enables

exact, sharp edges on smooth and slightly rough surfaces without any paint dispersion. It is used mainly in painting, to mask off areas that should not be painted. The adhesive is the key element to its usefulness, as it allows the

Uses:

1. Used in D.I.Y painting and detailed and precise paintings to make the designs, etc.
2. Used in painting of walls.
3. Used in polishing of surfaces so that the polish is not spread out to other surface so that it is not spoilt.
4. Used to cover areas which are not to be painted in the cars, for detailed painting and tattooing in cars

Sizes Available: Cut Size and Jumbo Rolls

Regular Colors: Crème white



BOPP TAPE

Description:

PT 5102 BOPP Tapes is generally known as Packaging tape. BOPP is briefly abbreviated as Biaxially Oriented Polypropylene. BOPP is a polypropylene film which is stretched in both machine and the cross directions. The BOPP film gained popularity in all parts of the world because of its beneficial properties. BOPP packing tapes are widely used tapes in the shipping, inventory management and the logistics industry. It shows good resistance to oil and greases. When the tape is exposed to an array of temperatures, it shows good puncture and flex crack resistance.

Uses:

1. Used for packaging of cartons, packages, goods and other boxes, respective of the industry.
2. Used in labelling as different colors specify different uses and signs.
3. Used for branding of products. The brands are printed on the tapes which are used to pack the cartons.
4. Used for sticking papers and small files, envelopes and other items in office and school work.

Sizes Available: Cut Size and Jumbo Roll and King Hawk

Regular Colors: Black / White / Clear / Brown & other colors also

Thickness in Micron: 36, 38, 40, 42, 45, 48, 50, 52, 55 etc.



DOUBLE SIDED POLYESTER TAPE

Description:

PT 5115 Double Sided Polyester Tape is a double-sided adhesive tape consisting of a transparent polyester film and acrylic adhesive. The adhesive system is especially resistant to plasticizers and offers a secure bond even at elevated temperatures. Reliable bond even to LSE substrates and can be immediately used right after assembly. Suitable for most demanding applications such as heavy stress, high temperatures or critical substrates.

Uses:

1. Mounting of ABS plastic parts in the car industry
2. Self-adhesive mounting of rubber / EPDM profiles
3. Mounting of decorative profiles and moldings in the furniture industry
4. Mounting of battery packs, lenses and touch-screens in electronic devices

Sizes Available: Cut size and Jumbo rolls

Regular Colors: Clear with Red liner



HOT MELT DOUBLE SIDED TISSUE TAPE

Description:

PT 5208 Hotmelt Double Sided Tissue Tapes are lightweight tissues coated with a rubber based adhesive. Similar to double sided paper products, double sided tissue provides conformability and more stability than adhesive transfer tapes. It has high initial tack, provide persistent performance and excellent wetting (grabbing) power to various soft and flexible materials. Double Sided Tissue is recommended for mounting light objects and may be used to laminate cork, paper, plastic, and textiles. Double Sided Tissue Tapes are made from non woven-tissue paper coated on both sides with acrylic adhesive or hot melt rubber adhesive and laminated with release paper. Tissue Tapes are made with wide range of adhesives to get different adhesion levels and applications.

Uses:

1. Foam and felt lamination in automobile and appliances manufacturing, Splicing of films / paper / oils, lamination and fastening in paper/plastic and printing industries, adhere posters & envelopes, in shoe and leather industry, for computerized embroidery, for mounting nameplates, metal / polycarbonate stickers etc.
2. Suitable use for plastic, textile, paper, PVC, foam (Sponge), printing finishing, sign making, fabric, card board, nameplate, interior decorative and so forth.
3. Ideal for wrapping gifts and packages where the adhesive needs to be hidden
4. Suitable for wall mounting pictures or presentations or bonding small or fragile parts

Sizes Available: Cut size and Jumbo rolls. | **Regular Colors:** Clear with white or printed liner.

SOLVENT DOUBLE SIDED TISSUE TAPE

Description:

PT 5211 Solvent Double Sided Tissue Tape with an exceptionally high tack solvent acrylic adhesive, is perfect for joining and bonding in the paper converting, print, automotive, medical, packaging and other general industries. The carrier, being tissue, allows the tape to be flexible and pliable and is easily torn by hand. The prime use of Double sided tissue tapes is in paper & printing industries. These tapes are made out of tissue paper with acrylic coating on both sides. Solvent based adhesives can be also used for coating on tissue papers. These tapes are specially designed so that it can stick two surfaces together such that it is not visible in the end product. The tapes are also called as easy-to-rip double-sided tape which is then wound with a silicone paper to avoid it sticking to itself.

Uses:

1. Usable for general and light duty bonding applications
2. Ideal for wrapping gifts and packages where the adhesive needs to be hidden
3. Suitable for wall mounting pictures or presentations or bonding small or fragile parts
4. Used in shoe and leather industry, foam industry, postal service, decoration, label and lot of other uses.

Sizes Available: Cut size and Jumbo rolls.

Regular Colors: Clear with white or printed liner.



DRYWALL JOINT TAPE

Description:

PT 5101 Drywall Joint Tape's fiberglass mesh is thin and light, but extremely strong and easy to use, and greatly increases joint strength and durability for less cracking. Use this Drywall Joint Tape to create a strong drywall joint that is resistant to mold, moisture and fire. It features high tensile strength to deliver strong, reliable wall joints that resist cracking, stretching, wrinkling and tearing under tools.

The roughened surface ensures a strong bond and the center-crease simplifies corner applications. It prevents blisters and bubbles and is mold and moisture resistant.

Uses:

1. Helps to eliminate the need for an embedding coat
2. It allows compound penetration to strengthen the joint bond
3. Resists tearing, stretching and distortion of surface
4. Roughened surface for superior bond
5. Permits same day joint finishing when used with a setting compound



Sizes Available: Cut Size | **Regular Colors:** White

FLOOR MARKING TAPE

Description:

PT 5304 Floor marking tapes are adhesive tapes used to mark hazards, divide spaces, create aisles, or provide directions. They are commonly used in industrial and manufacturing facilities for floor marking. Floor Marking Tape is used with the primary intent to direct traffic throughout a facility. Vinyl Floor Marking Tape can be applied to walls, doors, floors, and vehicles. It also has good resistance to solvent, oil and water.

Uses:

1. Yellow - Aisle ways, traffic lanes and work cells
2. White - Equipment and fixtures (workstations, carts, floor stand displays, racks, etc, not otherwise color coded)
3. Blue / Green / Black - Materials and components, including raw materials, work-in-progress and finished goods
4. Orange - Materials or product held for inspection
5. Red - Defects, scrap, rework and red tag areas
6. Black and yellow - Areas that may expose employees to special physical or health hazards (e.g. flammable or combustive material containers); Indicates that extra caution should be exercised when entering and working in the area

Sizes Available: Cut Size and Log Rolls

Regular Colors: Yellow / Black / White / Blue / Green
Red / Yellow-Black



DOUBLE SIDED FOAM TAPE

Description:

PT 5402 Double Sided Foam Tapes have specialist expertise in manufacturing and developing foam products for bonding, sealing, cushioning, protection, mounting and fixing applications. Double sided foam range provides solutions to practically every industry for bonding, mounting, fixing and joining applications. The products are economical, easy and quick to apply, clean to use, adaptable, versatile and consistent. Its high performance double sided foam bonding materials consists of a wide range of PVC, PU and PE foams coated with a variety of adhesives. Available in a variety of thicknesses, adhesives, carriers and sizes

Uses:

1. Used extensively for mounting posters, accessories, electronics spare parts
2. Seals, cushions, dampens vibration, resists impact and withstands wide temperature ranges to bond to rough or irregular surfaces in permanent or repositionable applications
3. Provides solutions to practically every industry for bonding, mounting, fixing and joining applications
4. Perfect to be used on rough, uneven and glass tops
5. Used as gap fillers to absorb shocks and vibrations

Sizes Available: Cut size and Jumbo rolls

Regular Colors: White Foam with Yellow liner



DOUBLE SIDED BLACK FOAM TAPE

Description:

PT 5405 A closed cell 1mm thick black polyethylene double sided foam tape. is a must have product if you are bonding to metal, plastic, glass or ceramics. Particularly popular in the sign and nameplates industry this double sided foam tape is ideal for mounting signs, trims and letters. Coated with a high grade modified acrylic adhesive, will perform comfortably at 80oc. Its thick PE release liner makes it an extremely user friendly product. Ideal for when time is of the essence.

Uses:

1. Forms a compression water seal
2. For glazing / automotive mirror mounting
3. For general mounting / bonding
4. Very good Ultra violet (UV) light resistant
5. Resistance to abrasion, corrosion and moisture
6. Suitable for indoor and outdoor environments

Sizes Available: Available in jumbo rolls and cut pack

Regular Colors: Black Foam with Green / Red liner



ULTRA HIGH BONDING (UHB) TAPE

Description:

PT 5408 Ultra High Bonding Tapes, also known as acrylic foam tape. It is easy to assemble, no drilling, riveting, welding or screw fastening. A high strength, clear, UV resistant double-sided film. Damps vibration and absorbs impact. Has high adhesion and shear strength. Heat and solvent resistant. A good general purpose, permanent tape. Heat resistant is 180 and tolerates differential thermal extortion or contraction. Made up of superlative raw materials, our UHB Adhesive Tape is popular for excellent tack and adhesion, high cohesion strength, and resistant to heat. Moreover, our Tapes are also resistant to UV, oil, water, and other solvent. It is ideal for bonding to a variety of substrates such as most metals, glass, plastics, composites and

Uses:

1. Partition wall
2. Furniture
3. Sign manufacture
4. Glass cabinet
5. Window
6. Solar panels

Sizes Available: Cut Size and Log Rolls

Regular Colors: Clear / Grey / White / Black

Thickness: 0.8mm – 2.0mm



DUCT TAPE

Description:

PT 5502 Duct tape, sometimes called duck tape, is cloth- or scrim-backed pressure-sensitive tape, often coated with polyethylene. There are a variety of constructions using different backings and adhesives. One variation is black gaffer tape, which is designed to be non-reflective and cleanly removed, unlike standard duct tape. Another variation is heat-resistant foil (not cloth) duct tape useful for sealing heating and cooling ducts, produced because standard duct tape fails quickly when used on heating ducts. Duct tape is generally silvery gray, but also available in other colors and even printed designs. It has great stretch and conform ability to hold tightly around corners, bends and curves. The thicker fabric with more cotton fibers makes this tape more substantial and durable and the high-tack rubber adhesive creates both permanent and repositionable bonds.

Uses:

1. Reducing noise transmission when used as a flexible connector
2. Exterior use and professional repair work
3. Sealing fiberglass insulation or to cover thermal insulation
4. A waterproof covering over pipe insulation
5. Many sealing and general purpose industrial applications
6. Air conditioning duct work

Sizes Available: Cut Size and Jumbo Roll

Regular Colors: Silver Grey / White / Black



BOOK BINDING TAPE

Description:

PT 5503 Book Binding Tape is generally used as a repair tape and also for spine binding and covering surfaces. Easily hand torn it comes in a range of vibrant colours. Useful in the home, school, office and library. Cloth tapes can be used to give support and are useful for many strapping, binding and sealing application. Although all are waterproof, since they have two layers of PE on their upper surface.

Uses:

1. Text Book and Note Book
2. Legal Documents.
3. Coaching Classes and Xerox Notes.
4. Telephone Diary.
5. Rough Paper Pad.
6. Memorandum & Articles of Company.
7. Cheque Book.
8. Advocate Case Papers Folder.
9. Photo Album.
10. Conference Pad and File & Folder



Sizes Available: Cut Size and Jumbo Roll

Regular Colors: Black / White / Grey / Red / Blue / Yellow / Green / Brown

ALUMINUM FOIL TAPE

Description:

PT 5601 Aluminum foil tapes is designed to cover all key application areas where high temperature resistance and electrical or thermal conductivity are required. Flame resistant. Class "L" low flammability rating. Applications include insulation and duct sealing in the heating, ventilation and air conditioning market and electromagnetic protection in the electronic industry. Foil backing provides an excellent reflective surface for both heat and light. Soft aluminum foil with transparent acrylic adhesive for many permanent sealing, holding, splicing or masking applications requiring the protection offered by a foil backing.

Uses:

1. Seal and patch tears in truck trailers, as well as other outdoor equipment.
2. Reflect heat away from sensitive areas.
3. Thermal heat conduction.
4. General purpose holding, patching, sealing applications – indoors or outdoors.
5. Splicing of thin gauge foils.
6. Good mask in electroplating of aluminum because it will not contaminate the bath.
7. Decorative



Sizes Available: Cut Size and Jumbo Roll

Regular Colors: Silver

PTFE TEFLON TAPE

Description:

PT 5701 PTFE Thread seal tape (also known as PTFE tape or plumber's tape) is a polytetrafluoroethylene (PTFE) film for use in sealing pipe threads. The tape is sold cut to specific widths and wound on a spool, making it easy to wind around pipe threads. It is also known by the genericized trade-name Teflon tape; while Teflon is in fact identical to PTFE. Thread seal tape lubricates allowing for a deeper sealing of the threads, and it helps prevent the threads from seizing when being unscrewed

Uses:

1. Commonly used in water systems such as central heating systems, air compression equipment tapered pipe threads, lubricating function, oxygen lines and some specific medical gasses, chemical & oil industries, process industries as well as architectural applications.
2. Thread tape is appropriate for use on tapered threads, where the sealing force is a wedge action. Parallel threads may not seal effectively with or without tape, as they are intended to be sealed by a gasket.
3. PTFE makes things less sticky on the fingers and easier to remove. It is also easier to clean up an area when you've finished using the item.

Sizes Available: Cut Size

Regular Colors: White



ANTI SLIP TAPE

Description:

PT 5702 Anti Slip Tape can be applied onto almost any surface and instantly provides an anti-slip surface that is ready to walk on, It is a mineral-coated, slip-resistant material reducing trip hazards on smooth and flat surfaces - designed in a wide range of colors and sizes. Enhances personal safety. It combines high quality abrasives and tough, durable adhesives to give outstanding slip resistance over long periods Prevents slips and falls at home. Avoid applying directly above tile grouting.

Uses:

1. Anti-Slip Tape reduces the risk of accidents on slippery, uneven or split level floor surfaces.
2. Best choice where mud may be present.
3. Very, very durable because of its large grit size.
4. Useful where extra strong traction is needed, such as external ramps, sloping driveways, loading docks.
5. Enhances safety at home especially on slippery floors like marble, granite etc.
6. Useful for dry areas like steps, ramps, ladders, staircases etc.

Sizes Available: Cut Size

Regular Colors: Black / White / Yellow-Black / Clear



OUR OTHER TAPES



Cross Filament Tape



BOPP Super Clear Tape



Surface Protection Tape



Double Sided BOPP Tape



Green Polyester Tape



Single Sided Polyester Tape



Kraft Paper Tape



Reinforce Kraft Paper Tape



Double Sided Tissue Solvent



Double Sided PVC Tape



PVC Non Adhesive



Single Sided Foam Tape